WEST

| Help | Logout | Interrupt |

| Main Menu | Search Form | Posting Counts | Show S Numbers | Edit S Numbers | Preferences | Cases |

Search Results -

Terms	Documents
(synchroniz$ and database$ and first and second and record$ and field$ and filter and (condition$ or criteria) and select$ and (add$ or modif$ or alter$ or updat$)).clm.	4

Database:
```
US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search: L5

| Refine Search |

| Recall Text | Clear |

Your wildcard search against 10000 terms has yielded the results below.
The next term would be: ; ADD$(ADDRESS-COUNTING).CLM.
Your result set for the last L# is incomplete.
The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search History

DATE: Friday, May 30, 2003   Printable Copy   Create Case

Set Name side by side	**Query**	**Hit Count**	**Set Name** result set
	DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L5	(synchroniz$ and database$ and first and second and record$ and field$ and filter and (condition$ or criteria) and select$ and (add$ or modif$ or alter$ or updat$)).clm.	4	L5
L4	(synchroniz$ and database$ and first and second and record$ and field$ and filter and (condition$ or criteria) and select$ and (add$ or modif$ or alter$ or updat$)).ab.	0	L4
L3	(synchroniz$ and database$ and first and second and record$ and field$ and filter and (condition$ or criteria) and select$ and (add$ or modif$ or alter$ or updat$)).ti.	0	L3
L2	synchroniz$ and database$ and first and second and record$ and field$ and filter and (condition$ or criteria) and select$ and (add$ or modif$ or alter$ or updat$)	3297	L2
L1	synchroniz4 and database$ and first and second and record$ and field$ and filter and (condition$ or criteria) and select$ and (add$ or modif$ or alter$ or updat$)	0	L1

END OF SEARCH HISTORY

WEST

Your wildcard search against 10000 terms has yielded the results below.
Your result set for the last L# is incomplete.
The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Generate Collection	Print

Search Results - Record(s) 1 through 4 of 4 returned.

☐ 1.   Document ID: US 20020103512 A1

L5: Entry 1 of 4   File: PGPB   Aug 1, 2002

PGPUB-DOCUMENT-NUMBER: 20020103512
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20020103512 A1

TITLE: Adaptive method and apparatus for forecasting and controlling neurological disturbances under a multi-level control

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC
Draw Desc	Image										

☐ 2.   Document ID: US 6453056 B2

L5: Entry 2 of 4   File: USPT   Sep 17, 2002

US-PAT-NO: 6453056
DOCUMENT-IDENTIFIER: US 6453056 B2

TITLE: Method and apparatus for generating a database of road sign images and positions

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC
Draw Desc	Image										

☐ 3.   Document ID: US 6363161 B1

L5: Entry 3 of 4   File: USPT   Mar 26, 2002

US-PAT-NO: 6363161
DOCUMENT-IDENTIFIER: US 6363161 B1

TITLE: System for automatically generating database of objects of interest by analysis of images recorded by moving vehicle

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC
Draw Desc	Image										

☐   4.   Document ID: US 6212529 B1

L5: Entry 4 of 4   File: USPT   Apr 3, 2001

US-PAT-NO: 6212529
DOCUMENT-IDENTIFIER: US 6212529 B1
** See image for Certificate of Correction **

TITLE: Synchronization of databases using filters

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC
Draw Desc	Image										

Generate Collection   Print

Terms	Documents
(synchroniz$ and database$ and first and second and record$ and field$ and filter and (condition$ or criteria) and select$ and (add$ or modif$ or alter$ or updat$)).clm.	4

Display Format: [-]   Change Format

Previous Page   Next Page

WEST

End of Result Set

☐ | Generate Collection | | Print |

L5: Entry 4 of 4   File: USPT   Apr 3, 2001

US-PAT-NO: 6212529
DOCUMENT-IDENTIFIER: US 6212529 B1
** See image for Certificate of Correction **

TITLE: Synchronization of databases using filters

DATE-ISSUED: April 3, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Boothby; David J.	Nashua	NH		
Morgan; David W.	Derry	NH		
Marien; John R.	Nashua	NH		

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Puma Technology; Inc.	San Jose	CA			02

APPL-NO: 09/ 036400   [PALM]
DATE FILED: March 5, 1998

PARENT-CASE:
CROSS REFERENCE TO RELATED APPLICATIONS This application is a continuation in part of "Synchronization of Databases with Date Range," Serial No. 08/748,645, filed Nov. 13, 1996.

INT-CL: [07] G06 F 17/30, G06 F 12/00

US-CL-ISSUED: 707/201; 707/10
US-CL-CURRENT: 707/201; 707/10

FIELD-OF-SEARCH: 707/10, 707/201, 707/202, 707/204, 707/203

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

| Search Selected | | Search ALL |

	PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
☐	4432057	February 1984	Daniell et al.	395/608
☐	4807182	February 1989	Queen	395/144
☐	4819156	April 1989	DeLorme et al.	364/200
☐	4827423	May 1989	Beasley et al.	364/468

☐	4866611	September 1989	Cree et al.	395/600
☐	4875159	October 1989	Cary et al.	395/619
☐	4956809	September 1990	George et al.	395/601
☐	4980844	December 1990	Demjanenko et al.	364/550
☐	5065360	November 1991	Kelly	395/800
☐	5136707	August 1992	Block et al.	395/600
☐	5142619	August 1992	Webster, III	395/161
☐	5155850	October 1992	Janis et al.	707/202
☐	5170480	December 1992	Mohan et al.	395/600
☐	5187787	February 1993	Skeen et al.	395/600
☐	5210868	May 1993	Shimada et al.	395/615
☐	5228116	July 1993	Harris et al.	395/54
☐	5237678	August 1993	Kuechler et al.	395/600
☐	5251151	October 1993	Demjanenko et al.	364/550
☐	5251291	October 1993	Malcolm	395/161
☐	5261045	November 1993	Scully et al.	395/161
☐	5261094	November 1993	Everson et al.	395/617
☐	5272628	December 1993	Koss	364/419.19
☐	5278978	January 1994	Demers et al.	395/600
☐	5278982	January 1994	Daniels et al.	707/202
☐	5283887	February 1994	Zachery	359/500
☐	5293627	March 1994	Kato et al.	395/550
☐	5301313	April 1994	Terada et al.	395/600
☐	5315709	May 1994	Alston, Jr. et al.	395/606
☐	5327555	July 1994	Anderson	395/617
☐	5333252	July 1994	Brewer, III et al.	395/767
☐	5333265	July 1994	Orimo et al.	395/200
☐	5333316	July 1994	Champagne et al.	395/600
☐	5339392	August 1994	Risberg et al.	395/161
☐	5339434	August 1994	Rusis	395/700
☐	5355476	October 1994	Fukumura	395/600
☐	5375234	December 1994	Davidson et al.	395/600
☐	5392390	February 1995	Crozier	395/335
☐	5396612	March 1995	Huh et al.	395/575
☐	5434994	July 1995	Shaheen et al.	395/617
☐	5444851	August 1995	Woest	395/200.1
☐	5463735	October 1995	Pascucci et al.	395/200.1
☐	5475833	December 1995	Dauerer et al.	395/617

☐	5511188	April 1996	Pascucci et al.	395/600
☐	5519606	May 1996	Frid-Nielsen et al.	395/228
☐	5560005	September 1996	Hoover et al.	395/600
☐	5568402	October 1996	Gray et al.	364/514C
☐	5583793	December 1996	Gray et al.	364/514C
☐	5600834	February 1997	Howard	395/617
☐	5613113	March 1997	Goldring	707/202
☐	5615364	March 1997	Marks	395/618
☐	5619689	April 1997	Kelly	395/617
☐	5630081	May 1997	Rybicki et al.	395/948
☐	5666530	September 1997	Clark et al.	395/617
☐	5666553	September 1997	Crozier	395/803
☐	5682524	October 1997	Freund et al.	395/605
☐	5684984	November 1997	Jones et al.	395/610
☐	5684990	November 1997	Boothby	395/619
☐	5701423	December 1997	Crozier	395/335
☐	5708812	January 1998	Van Dyke et al.	395/712
☐	5708840	January 1998	Kikinis et al.	395/800
☐	5710922	January 1998	Alley et al.	395/617
☐	5727202	March 1998	Kucala	395/610
☐	5729735	March 1998	Meyering	395/610
☐	5745712	April 1998	Turpin et al.	395/333
☐	5758083	May 1998	Singh et al.	707/10
☐	5758150	May 1998	Bell et al.	395/610
☐	5758355	May 1998	Buchanan	707/201
☐	5778388	July 1998	Kawamura et al.	707/203
☐	5790789	August 1998	Suarez	395/200.32
☐	5845293	December 1998	Veghte et al.	707/202
☐	5870759	February 1999	Bauer et al.	707/201
☐	5870765	February 1999	Bauer et al.	707/203
☐	5878415	March 1999	Olds	707/9
☐	5884323	March 1999	Hawkins et al.	707/201
☐	5884324	March 1999	Cheng et al.	707/201
☐	5884325	March 1999	Bauer et al.	707/201
☐	5897640	April 1999	Veghte et al.	707/202
☐	5926824	July 1999	Hashimoto et al.	707/520
☐	5978813	November 1999	Foltz et al.	707/201

OTHER PUBLICATIONS

U.S. application No. 08/927,922, filed Sep. 11, 1997.
U.S. application No. 08/964,51, filed Nov. 5, 1997.
Alfieri, "The Best of WordPerfect Version 5.0," Hayden Books, pp. 153-165, 429-435 (1988).
"Automatically Synchronized Objects," Research Disclosure #29261, p. 614 (Aug. 1988).
Cobb et al., "Paradox 3.5 Handbook 3rd Edition," Bantam, pp. 803-816 (1991).
"FRx Extends Reporting Power of Platinum Series: (IBM Desktop Software's Line of Accounting Software)," Doug Dayton, PC Week, v. 8, n. 5, p. 29(2) (Feb. 4, 1991).
IntelliLink Brochure (1990).
"Logical Connectivity: Applications, Requirements, Architecture, and Research Agenda," Stuart Madnick & Y. Richard Wang, MIT, Systems Sciences, 1991 Hawaii Int'l, vol. 1, IEEE (Jun. 1991).
"Open Network Computing--Technical Overview," Sun Technical Report, Microsystems, Inc., pp. 1-32 (1987).
Organizer Link II Operation Manual, Sharp Electronics Corporation.
Bishop et al., "The Big Picture (Accessing Information on Remote Data Management System," UNIX Review, v. 7, n. 8, p. 38(7) (Aug. 1989).
User Manual for Connectivity Pack for the HP 95LX, Hewlett Packard Company (1991).
User Manual for PC-Link for the B.O.S.S. and the PC-Link for the B.O.S.S., Traveling Software, Inc. (1989).
Zahn et al., Network Computing Architecture, pp. 1-11; 19-31; 87=115; 117-133; 187-199;201-209 (1990).
U.S. application No. 08/749926, filed Nov. 13, 1996.
U.S. application No. 08/752,490, filed Nov. 13, 1996.
U.S. application No. 08/748,645, filed Nov. 13, 1996.
Chapura, Inc., 3 Compare, http://www.chapura.com/3compare.html (1997).
Chapura, Inc., PilotMirror Features Page, http://www.chapura.com/features.html (1997).
Wiederhold et al., Consistency Control of Replicated Data in Federated Databases, IEEE, pp. 130-132, Nov. 1990.*
Bowen et al., Achieving Throughput and Functionality in a Common Architecture: The DataCycle Experiment, IEEE, p. 178, Dec. 1991.

ART-UNIT: 271

PRIMARY-EXAMINER: Black; Thomas G.

ASSISTANT-EXAMINER: Coby; Frantz

ATTY-AGENT-FIRM: Fish & Richardson P.C.

ABSTRACT:

A computer program is provided for synchronizing at least a first and a second database. A plurality of records of the first database fitting a selected criterion are identified. At least one of the identified records of the first database is then synchronized with a record of the second database. On a computer display, a record selection criteria displayed for a user to input the selected criterion.

52 Claims, 16 Drawing figures

P⊛RTAL

DIGITAL LIBRARY

US Patent & Trademark Office

Search Results

Search Results for: [synchroniz* and first<near/5>database* and
second<near/5>database* and filter* and record* and field* and select* and
(add* or modif* or alter* or chang* or updat*) and (condition* or criteria)]
Found 8 of 110,178 searched.   -> Rerun within the Portal

Search within Results

```

```

GO   > Advanced Search   > Search Help/Tips

Sort by: **Title**   **Publication**   **Publication Date**   **Score**   📎 **Binder**

Results 1 - 8 of 8   short listing

---

1 The state of the art in distributed query processing   **99%**
   Donald Kossmann
   ACM Computing Surveys (CSUR) December 2000
   Volume 32 Issue 4
       Distributed data processing is becoming a reality. Businesses want
       to do it for many reasons, and they often must do it in order to
       stay competitive. While much of the infrastructure for distributed
       data processing is already there (e.g., modern network
       technology), a number of issues make distributed data processing
       still a complex undertaking: (1) distributed systems can become
       very large, involving thousands of heterogeneous sites including
       PCs and mainframe server machines; (2) the stat ...

2 Query evaluation techniques for large databases   **99%**
   Goetz Graefe
   ACM Computing Surveys (CSUR) June 1993
   Volume 25 Issue 2
       Database management systems will continue to manage large
       data volumes. Thus, efficient algorithms for accessing and
       manipulating large sets and sequences will be required to provide
       acceptable performance. The advent of object-oriented and
       extensible database systems will not solve this problem. On the
       contrary, modern data models exacerbate the problem: In order

to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

3 Query Optimization in Database Systems   **99%**
Matthias Jarke , Jurgen Koch
ACM Computing Surveys (CSUR) June 1984
Volume 16 Issue 2

4 Extended ephemeral logging: log storage management for   **99%**
applications with long lived transactions
John S. Keen , William J. Dally
ACM Transactions on Database Systems (TODS) March 1997
Volume 22 Issue 1

5 Special issue on prototypes of deductive database systems: The   **98%**
aditi deductive database system
Jayen Vaghani , Kotagiri Ramamohanarao , David B. Kemp , Zoltan
Somogyi , Peter J. Stuckey , Tim S. Leask , James Harland
The VLDB Journal — The International Journal on Very Large
Data Bases April 1994
Volume 3 Issue 2
> Deductive databases generalize relational databases by providing support for recursive views and non-atomic data. Aditi is a deductive system based on the client-server model; it is inherently multi-user and capable of exploiting parallelism on shared-memory multiprocessors. The back-end uses relational technology for efficiency in the management of disk-based data and uses optimization algorithms especially developed for the bottom-up evaluation of logical queries involving recursion. The front ...

6 Active database systems   **97%**
Norman W. Paton , Oscar Díaz
ACM Computing Surveys (CSUR) March 1999
Volume 31 Issue 1
> Active database systems support mechanisms that enable them to respond automatically to events that are taking place either inside or outside the database system itself. Considerable effort has been directed towards improving understanding of such systems in recent years, and many different proposals have been made and applications suggested. This high level of activity has not yielded a single agreed-upon standard approach to the integration of active functionality with conventional databa ...

7 A structured approach for the definition of the semantics of   97%
active databases
Piero Fraternali , Letizia Tanca
ACM Transactions on Database Systems (TODS) December 1995
Volume 20 Issue 4

> Active DBMSs couple database technology with rule-based
> programming to achieve the capability of reaction to database
> (and possibly external) stimuli, called events. The reactive
> capabilities of active databases are useful for a wide spectrum of
> applications, including security, view materialization, integrity
> checking and enforcement, or heterogeneous database
> integration, which makes this technology very promising for the
> near future. An active database system consists of ...

8 The Tyndall range control system: bringing network computing   97%
to C2 systems
Dan DeJohn
Proceedings of the conference on TRI-Ada '94 November 1994

Results 1 - 8 of 8   short listing

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE Xplore®
RELEASE 1.4

Welcome
United States Patent and Trademark Of

Help FAQ Terms IEEE Peer Review   Quick Links   ▽   » Se

Welcome to IEEE Xplore*

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

🖨 Print Format

Your search matched **[0]** of **[942182]** documents.

You may refine your search by editing the current search expression or entering a new one the text box. Then click search Again.

synchroniz* and first<near/5>database* and second<near/5>database* and filter* and r

Search Again

OR

Use your browser's back button to return to your original search page.

Results:

No documents matched your query.

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search
Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting
No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership   Publications/Services   Standards   Conferences   Careers/Jobs

IEEE *Xplore* ®
RELEASE 1.4

Welcome
United States Patent and Trademark Of

Help FAQ Terms IEEE Peer Review   Quick Links   ▼   » Se

Welcome to IEEE *Xplore*

○ Home
○ What Can I Access?
○ Log-out

Tables of Contents

○ Journals & Magazines
○ Conference Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced

Member Services

○ Join IEEE
○ Establish IEEE Web Account
○ Access the IEEE Member Digital Library

Your search matched **[0]** of **[942182]** documents.

You may refine your search by editing the current search expression or entering a new one the text box. Then click search Again.

synchroniz* and first database* and second database* and filter* and record* and field* a

Search Again

OR

Use your browser's back button to return to your original search page.

Results:

No documents matched your query.

🖨 Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search
Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting
No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top